

- [13] Butler, K. and Mulholland, G. (2004), Generation and Transport of Smoke Components, *Fire Tech*, 40(2):149-176, <http://dx.doi.org/10.1023/B:FIRE.0000016841.07530.64>
- [14] Kearney, S. and Pierce, F. (2012), Evidence of soot superaggregates in a turbulent pool fire, *Combustion and Flame*, 159(10):3191–3198, <http://dx.doi.org/10.1016/j.combustflame.2012.04.011>
- [15] Soresnsen, W. et al. (2003), Observations of Soot Superaggregates with a Fractal Dimension of 2.6 in Laminar Acetylene/Air Diffusion Flames, *Langmuir*, 19(18):7560-7563, <http://dx.doi.org/10.1016/j.combustflame.2012.04.011>.
- [16] Hertzberg, T., Blomqvist, P., Dalene, M., and Skarping, G., Particles and Isocyanates from Fires, SP Swedish National Testing and Research Institute, SP Report 2003:05, Borås, 2003.
- [17] Newman, J., Su, P., and Yee, G., “Smoke Deposition Velocity in Industrial Fire Environments,” *Fire Safety Science -- Proceedings of the Tenth International Symposium*, International Association for Fire Safety Science, 2000, pp. 655-668, <http://dx.doi.org/10.3801/IAFSS.FSS.10-655>
- [18] Higgins, D. and Davidson, M., “An Isothermal Model of Agglomeration in a Flash Smelting Reaction Shaft,” *Fifth International Conference on CFD in the Process Industries*, CSIRO, 2006.
- [19] McGrattan, K., Hostikka, S., Floyd, J., and McDermott, R., “Fire Dynamics Simulator Technical Reference Guide Volume 3: Validation,” National Institute of Standards and Technology, Report NIST SP 1018-5, Gaithersburg, MD, 2010, 298 p.
- [20] Mulholland, G. and Croarkin, C. (2000). Specific Extinction Coefficient of Flame Generated Smoke, *Fire and Materials*, 24:227-230, [http://dx.doi.org/10.1002/1099-1018\(200009/10\)24:5<227::AID-FAM742>3.0.CO;2-9](http://dx.doi.org/10.1002/1099-1018(200009/10)24:5<227::AID-FAM742>3.0.CO;2-9) .